

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S65	2	"20050091415"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 10:29
S66	1382	(protocol with marker\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 10:29
S67	2647	(protocol with marker\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:29
S68	145	(protocol with marker\$1) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:30
S69	13	(protocol with marker\$1) and (signature with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:34
S70	13	(identif\$4 with content with protocol with marker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:35
S71	32026	(bit adj "by" bit) with (compar\$3 or comparison) with (data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:37
S72	405	((bit adj "by" bit) with (compar\$3 or comparison) with (data or information)) same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:38

EAST Search History

S73	1	((bit adj "by" bit) with (compar\$3 or comparison) with (data or information)) same (protocol with marker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:38
S74	179	((bit adj "by" bit) with (compar\$3 or comparison) with (data or information)) same (protocol with (compar\$3 or comparison) with (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:39
S75	2	((bit adj "by" bit) with (compar\$3 or comparison) with (data or information)) same (protocol with (compar\$3 or comparison) with (data or information)) and (compar\$3 with signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:42
S76	0	(identify\$3 with content with prtocol with marker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:42
S77	13	(identify\$3 with content with protocol with marker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:43
S78	1522	(tvmd or (time with variant with multidimensional with information) or (multi with sensory) or (multi with media with signal with information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:45
S79	2	(tvmd or (time with variant with multidimensional with information) or (multi with sensory) or (multi with media with signal with information)) same (mark\$4 with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 10:54
S80	14553	(protocol with transform\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:04

EAST Search History

S81	1526	(MPEG-2 with encod\$3 with decod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:06
S82	84	(MPEG-2 with encod\$3 with decod\$3) and marker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:06
S83	1	(MPEG-2 with encod\$3 with decod\$3) and (marker with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:06
S84	0	(MPEG-2 with encod\$3 with decod\$3) and (marker) and signatire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:06
S85	13	(MPEG-2 with encod\$3 with decod\$3) and (marker) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:09
S86	877	((compar\$3 or match\$3) with (content\$1) with signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:10
S87	173	((compar\$3 or match\$3) with (content\$1) with signature) and (comput\$3 with signature with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:11
S88	6	((compar\$3 or match\$3) with (content\$1) with signature) and (comput\$3 with signature with content) and ((identif\$4 or determin\$6) with protocol with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:20

EAST Search History

S89	608	(MPEG-2 with encod\$3 with decod\$3) and ((discrete with cosine with coefficient) or (motion with vector) or (quantization with result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:22
S90	22	(MPEG-2 with encod\$3 with decod\$3) and ((discrete with cosine with coefficient) or (motion with vector) or (quantization with result)) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 11:25
S91	39	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and ((discrete with cosine with coefficient) or (motion with vector) or (quantization with result)) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 13:31
S92	35	("5870754").URPN.	USPAT	OR	OFF	2006/10/05 11:52
S93	1	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and ((discrete with cosine with coefficient) or (motion with vector) or (quantization with result)) and signature and marker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 13:16
S94	160	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector) or (quantization with result)) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:34
S95	131	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector) or (quantization with result)) and ((comput\$3 or determin\$3) with signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:36
S96	131	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector) or (quantization with result)) and ((comput\$3 or determin\$3) with signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 11:01

EAST Search History

S97	24	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector) or (quantization with result)) and ((comput\$3 or determin\$3) with signature) and (compar\$3 with signature with identical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 11:03
S98	124	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector) or (quantization with result)) and ((comput\$3 or determin\$3) with signature) and (compar\$3 with signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:20
S99	0	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector)) and ((comput\$3 or determin\$3) with signature) and (compar\$3 with signature) and (determin\$5 with protocol with encod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:20
S10 0	1	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector)) and ((comput\$3 or determin\$3) with signature) and (compar\$3 with signature) and (determin\$5 with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:21
S10 1	1	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector)) and ((comput\$3 or determin\$3) with signature) and (compar\$3 with signature) and ((determin\$5 or identify\$3) with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:21
S10 2	1	((MPEG-2 or JPEG or GIF) with (encod\$3 with (format or scheme))) and (((discrete with cosine with coefficient) or dc) or (motion with vector)) and ((comput\$3 or determin\$3) with signature) and (compar\$3 with signature) and ((determin\$5 or identify\$3) with protocol) and network and cach\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:26

EAST Search History

S10 3	447663	network and (repository or database or (data adj base) or content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:27
S10 4	10323	(network with cach\$3) and (repository or database or (data adj base) or content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:29
S10 5	956	(network with cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:30
S10 6	12	(network with cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:34
S10 7	7	(network with cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) and (motion with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:34
S10 8	1	(network with cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) and (motion with vector) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:36
S10 9	1	(network with cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) or (motion adj vector\$1)) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:36
S11 0	34	(network and cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) or (motion adj vector\$1)) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:36

EAST Search History

S11 1	1	(network and cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) and (motion with vector) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:36
S11 2	22	(network and cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) or (motion adj vector\$1)) and signature and ((comput\$3 or generat\$3 or deriv\$3 or determi\$4) with signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:37
S11 3	21	(network and cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) or (motion adj vector\$1)) and signature and ((comput\$3 or generat\$3 or deriv\$3 or determi\$4) with signature) and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:37
S11 4	12	(network and cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) or (motion adj vector\$1)) and signature and ((comput\$3 or generat\$3 or deriv\$3 or determi\$4) with signature) and protocol and (compar\$3 with signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:39
S11 5	2	(network and cach\$3) and (repository or database or (data adj base) or content) and (encod\$3 with (format or scheme)) and (((discrete adj cosine) or dc) with coefficients) or (motion adj vector\$1)) and signature and ((comput\$3 or generat\$3 or deriv\$3 or determi\$4) with signature) and protocol and (compar\$3 with signature) and ((identif\$4 or determin\$6) with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 08:39
S11 6	15	707/3.ccls. and (compar\$3 with signature\$1) and (signature\$1 with protocol\$1) and (comput\$3 with signature\$1) and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:09